ECONOMICS
AND
STATISTICS
ADMINISTRATION

**U.S. CENSUS BUREAU** 

U.S. CENSUS BUREAU For Data - (301) 763-4673 For Questions - Michael Davis, Joe Huesman or Linnet Holland (301) 763-1605 FOR RELEASE 10:00 AM EST, MONDAY, DECEMBER 2, 2002 CB02-152

## OCTOBER 2002 CONSTRUCTION AT \$834.6 BILLION ANNUAL RATE

Construction put in place during October 2002 was estimated at a seasonally adjusted annual rate of \$834.6 billion, 0.2 (±4.8) percent above the revised September estimate of \$832.5 billion, according to the U.S. Commerce Department's Census Bureau. The October figure is 0.2 (±4.8) percent below October 2001.

During the first 10 months of this year \$709.7 billion of construction was put in place, 0.2 (±1.6) percent above the \$708.2 billion for the same period in 2001.

In constant (1996) dollars, the October annual rate was \$680.2 billion, 0.1 (±4.8) percent below the revised estimate of \$680.9 billion for September.

## PRIVATE CONSTRUCTION

Spending on new residential housing units was at a seasonally adjusted annual rate of \$298.1 billion in October, 0.6 (±1.6) percent above the revised September estimate of \$296.3 billion. Nonresidential building construction was at a rate of \$158.3 billion, 1.1 (±3.2) percent above the revised September estimate of \$156.6 billion.

## PUBLIC CONSTRUCTION

In October, the estimated seasonally adjusted annual rate of public construction put in place was \$205.4 billion, 0.4 (±4.8) percent below the revised September estimate of \$206.1 billion.

November 2002 data will be released on January 3, 2003 at 10:00 AM EST.

## **EXPLANATORY NOTES**

In interpreting changes in the statistics in this release, note that month-to-month changes in seasonally adjusted statistics often show movements which may be irregular. It may take 2 months to establish an underlying trend for total construction and as long as 8 months for specific categories of construction.

The statistics in this release are estimated from several sources and surveys and are subject to sampling variability as well as nonsampling errors including bias and variance from response, nonreporting, and undercoverage. Estimates of the standard errors are provided in Table 4 for selected types of construction. Whenever a statement such as "2.3 (±3.1) percent above" appears in the text, this indicates the range (-0.8 to +5.4 percent) in which the actual percent change is likely to have occurred. All ranges given are 90 percent confidence intervals. If the range contains zero, it is uncertain whether there was an increase or decrease; that is, the change was not statistically significant. For any comparison cited without a confidence interval, the change is statistically significant. Statistics for the current month are preliminary estimates subject to revision in following months as additional data become available. The average absolute percent changes from preliminary estimate to first revision for the major seasonally adjusted components are as follows: total construction, 0.5 percent; private construction, 0.6 percent; private residential construction, 0.5 percent; private nonresidential construction, 1.1 percent; and public construction, 1.4 percent.

More detailed data will appear in Current Construction Reports, C30/02-10, to be issued later this month. A discussion of sources and reliability of the data appears in Current Construction Reports, C30/02-5.

Our internet address is: <a href="http://www.census.gov/c30">http://www.census.gov/c30</a>

This press release is available the day of issue through the Commerce Department's on-line Economic Bulletin Board. For information, call (202) 482-1986.

New monthly detailed types of construction data for 2002 are presented at: http://www.census.gov/const/C30/newtc.html

Table 1. Value of Construction Put in Place in the United States, Seasonally Adjusted Annual Rate

[Billions of dollars. Detail may not add to total due to rounding. Percent changes based on unrounded figures]

Type of construction			_		<b>I</b>	May 2002	Apr 2002	Oct - 2001	Percent change Oct 2002 from—	
	Oct <sup>p</sup> 2002	Sep <sup>r</sup> 2002	Aug <sup>r</sup> 2002	Jul 2002					Sep 2002	Oct 2001
					Curre	nt dollars				
Total construction	834.6	832.5	829.8	837.8	833.7	847.1	856.9	836.6	0.2	- 0.2
Private construction <sup>1</sup>	629.2	626.4	627.1	635.7	634.6	642.2	656.7	643.4	0.5	- 2.2
Residential buildings <sup>2</sup> New housing units	412.3 298.1	412.1 296.3	409.3 292.7	414.0 295.2	410.8 292.8	413.5 294.9	411.8 295.6	392.3 281.6	(Z) 0.6	5.1 5.9
1 unit	265.9 32.2	263.2 33.2	259.3 33.4	261.8 33.4	260.0	260.5	260.5 35.1	250.9 30.6	1.0 - 2.8	6.0 5.3
2 units or more Nonresidential buildings	158.3	156.6	159.8	163.7	32.8 166.7	34.4 170.5	179.6	190.0	1.1	- 16.7
Industrial	13.7 34.1	13.8 34.6	14.6 36.7	15.8 37.8	16.7 37.9	16.6 37.9	17.5 40.8	24.6 47.7	- 0.9 - 1.4	- 44.3 - 28.6
Hotels, motels	9.3	9.2	9.1	9.8	10.1	11.2	11.3	13.6	1.2	- 31.5
Other commercial	53.1 7.5	52.4 7.6	53.0 8.0	53.3 8.2	54.4 8.5	56.2 8.8	61.4 8.9	58.5 8.0	1.3 - 1.9	- 9.2 - 6.5
Educational	14.3	13.0	12.4	12.8	12.7	14.1	14.5	13.7	10.2	4.1
Hospital and institutional Miscellaneous buildings	18.3 8.1	17.9 8.1	17.4   8.6	17.7 8.3	17.8 8.7	17.1 8.6	16.5 8.5	15.1 8.8	1.9 (Z)	20.7 - 7.5
Telecommunications	(NA) 2.6	15.3 2.7	16.4 2.6	17.3 2.3	18.4 3.0	17.3 3.0	17.4 3.4	17.3 3.0	(NA) - 3.0	(NA) - 12.3
Public construction	205.4	206.1	202.8	202.1	1 <b>99.1</b>	204.9	200.2	193.1	- 0.4	6.3
Housing and redevelopment	6.0	5.8	6.0	5.7	5.7	5.1	5.1	5.0	3.2	19.7
Industrial	1.5 66.3	1.4 65.1	2.2 62.4	1.8 62.3	1.9 61.2	2.1 65.9	2.1 62.8	1.0 59.3	11.9 1.9	47.7 11.9
Hospital	4.8	5.3	5.1	4.8	4.7	4.8	4.8	4.0	- 11.1	18.1
Other public buildings Highways and streets	30.7 52.6	31.1 54.7	30.6 53.8	30.2 54.5	31.1 51.4	30.6 51.9	30.6 51.5	31.6 51.6	- 1.5 - 3.7	- 3.1 2.0
Military facilities	2.7	3.1	2.8	3.3	3.0	3.1	2.7	2.9	- 13.5	- 6.4
Conservation and development Sewer systems	8.6 9.3	7.7 9.3	7.5   9.5	7.0 9.5	7.3 9.4	7.4 9.8	7.9 9.2	7.2 8.6	12.2 - 0.2	19.4 8.6
Water supply facilities	7.1 15.7	7.4 15.1	7.1 15.7	7.0 15.9	7.6 16.0	7.6 16.8	7.1 16.4	6.8 15.1	- 4.7 4.0	4.9 4.0
Wildonaneous public	10.7	10.1	10.7	10.0		dollars	10.4	10.1	4.0	4.0
Total construction	680.2	680.9	680.0	687.7	682.0	696.0	706.6	692.8	- 0.1	- 1.8
Private construction <sup>1</sup>	511.7	511.6	513.4	520.8	518.6	526.6	540.6	531.3	(Z)	- 3.7
Residential buildings <sup>2</sup>	332.2	334.0	332.7	336.3	333.2	336.2	336.2	321.1	- 0.5	3.5
New housing units 1 unit	240.2 214.2	240.2 213.3	238.0 210.9	239.8 212.7	237.5 210.9	239.8 211.8	241.3 212.7	230.4 205.3	(Z) 0.5	4.3 4.3
2 units or more	26.0	26.9	27.1	27.1	26.6	28.0	28.7	25.1	- 3.3	3.7
Nonresidential buildingsIndustrial	128.6 11.1	127.7 11.3	130.3 11.9	133.7 12.9	135.8 13.6	139.5 13.6	147.2 14.4	156.0 20.2	0.7 - 1.2	- 17.6 - 44.9
Office	27.7	28.2 7.5	29.9	30.9	30.9 8.2	31.0 9.2	33.4 9.2	39.2	- 1.8 0.9	- 29.4
Other commercial	7.6 43.1	42.7	7.4 43.2	8.0 43.5	44.3	9.2 46.0	50.3	11.2 48.0	0.9	- 32.2 - 10.1
Religious	6.1 11.6	6.2 10.6	6.6 10.1	6.7 10.4	6.9 10.3	7.2 11.5	7.3 11.9	6.6 11.3	- 2.2 9.9	- 7.5 3.0
Hospital and institutional	14.8	14.6	14.2	14.4	14.5	14.0	13.5	12.4	1.6	19.4
Miscellaneous buildings Telecommunications	6.6 (NA)	6.6 14.2	7.0 15.2	6.8 16.3	7.1 17.0	7.0 16.1	7.0 16.2	7.2 16.1	- 0.3 (NA)	- 8.5 (NA)
All other private	`2.2́ <b>168.5</b>	2.3 <b>169.4</b>	2.2 <b>166.6</b>	2.0 <b>166.9</b>	2.5 <b>163.4</b>	2.5 <b>169.4</b>	2.9 <b>166.0</b>	2.6 <b>161.5</b>	- 3.ó <b>- 0.5</b>	- 14.5 <b>4.4</b>
Housing and redevelopment	4.8	4.7	4.9	4.6	4.6	4.2	4.2	4.1	<b>- 0.5</b> 2.6	17.9
Industrial	1.3	1.1	1.8	1.5	1.5	1.7	1.7	0.9	11.6	46.1
Educational	53.9 3.9	53.0 4.4	50.9 4.2	50.9 3.9	49.8 3.8	53.9 3.9	51.5 4.0	48.7 3.3	1.5 - 11.4	10.7 16.8
Other public buildings	24.9	25.4	24.9	24.7	25.4	25.0	25.1	26.0	- 1.8	- 4.1
Highways and streets Military facilities	42.8 2.2	44.5 2.5	43.7 2.3	44.8 2.7	41.7 2.4	42.5 2.5	42.3 2.2	43.3 2.4	- 3.7 - 13.6	- 1.0 - 8.3
Conservation and development Sewer systems	7.5 8.1	6.7 8.2	6.5 8.3	6.1 8.3	6.4 8.1	6.5 8.6	7.0 8.1	6.5 7.7	12.2 - 0.2	16.8 6.3
Water supply facilities	5.9	6.2	5.8	5.8	6.3	6.3	6.0	5.8	- 4.6	1.8
Miscellaneous public	13.2	12.7	13.2	13.5	13.4	14.3	14.0	13.0	4.0	1.3

NA Not available.

<sup>&</sup>lt;sup>p</sup>Preliminary.

rRevised.

Z Less than 0.05 percent.

<sup>&</sup>lt;sup>1</sup>Includes the following categories of private construction not shown separately: residential improvements, railroads, electric light and power, gas, petroleum pipelines, and farm nonresidential. <sup>2</sup>Includes improvements.

Table 2. Value of Construction Put in Place in the United States, Not Seasonally Adjusted in Current Dollars

[Billions of dollars. Detail may not add to total due to rounding. Percent changes based on unrounded figures]

									Year to date		e
Type of construction	Oct <sup>p</sup> 2002	Sep <sup>r</sup> 2002	Aug <sup>r</sup> 2002	Jul 2002	Jun 2002	May 2002	Apr 2002	Oct 2001	Oct 2002	Oct 2001	Percent change
Total construction	76.9	78.4	79.4	78.1	76.2	73.3	68.2	77.1	709.7	708.2	0.2
Private construction <sup>1</sup>	57.6	57.4	58.5	58.5	57.8	55.9	52.9	59.0	537.5	546.6	- 1.7
Residential buildings <sup>2</sup> New housing units.  1 unit 2 units or more.  Nonresidential buildings Industrial Office Hotels, motels Other commercial Religious Educational Hospital and institutional Miscellaneous buildings Telecommunications All other private	38.3 27.1 24.3 2.8 14.1 1.2 3.0 0.8 4.9 0.7 1.2 1.6 0.7 (NA)	38.6 27.3 24.5 2.8 13.8 1.2 3.0 0.8 4.8 0.7 1.1 1.5 0.7	38.8 27.5 24.5 2.9 14.2 1.3 3.2 0.8 4.9 0.7 1.2 1.5 0.7	38.8 27.5 24.6 2.9 14.2 1.4 3.2 0.8 4.7 0.7 1.2 1.4 0.7	38.5 26.5 23.6 2.9 14.4 1.4 3.2 4.8 0.7 1.2 1.5 0.7	36.6 25.5 22.5 3.0 14.4 1.4 3.3 0.9 4.7 0.7 1.2 1.4 0.7 1.5 0.2	33.1 24.0 21.1 2.9 14.8 1.4 3.4 1.0 0.7 1.2 1.4 0.7	36.5 25.5 22.8 2.7 16.9 2.2 4.2 1.2 5.4 0.8 1.1 1.3 0.8 1.6 0.3	346.7 247.2 219.0 28.2 141.4 13.8 32.2 8.8 47.1 6.9 11.4 14.2 7.1 (NA)	326.3 234.4 209.0 25.4 170.5 25.2 44.6 12.3 50.7 6.9 10.5 12.6 7.8 15.4	6.3 5.5 4.8 10.9 - 17.1 - 45.3 - 27.9 - 28.2 - 7.2 - 0.2 9.4 12.4 - 8.8 (NA) - 3.5
Public construction	19.3	20.9	20.9	19.5	18.4	17.4	15.3	18.1	172.2	161.6	6.6
Housing and redevelopment Industrial Educational Hospital Other public buildings Highways and streets Military facilities Conservation and development Sewer systems Water supply facilities Miscellaneous public	0.5 0.1 5.8 0.4 2.8 5.8 0.2 0.6 0.9 0.7	0.5 0.2 6.2 0.5 2.8 6.4 0.3 0.9 0.7 1.5	0.5 0.2 6.6 0.4 2.7 6.4 0.2 0.7 0.9 0.7	0.5 0.2 6.2 0.4 2.5 6.0 0.3 0.6 0.8	0.5 0.2 5.7 0.4 2.7 5.2 0.3 0.6 0.9 0.7	0.4 0.2 5.3 0.4 2.6 4.7 0.3 0.6 0.8 0.7	0.4 0.2 4.8 0.4 2.6 3.5 0.2 0.6 0.7 0.6 1.3	0.4 0.1 5.2 0.4 2.8 5.6 0.2 0.5 0.8 0.7	4.5 1.5 53.5 4.1 25.9 46.4 2.4 6.5 7.9 6.0 13.3	3.9 1.2 46.8 3.3 25.6 46.1 2.4 5.9 7.3 5.9	16.1 24.7 14.3 23.4 1.0 0.7 - 0.2 10.1 8.8 2.0 2.1

NA Not available.

rRevised.

Z Less than 0.05 percent.

Table 3. U.S. Census Bureau Composite Fixed-Weighted (1996 Weights) Price Index and Implicit Price Deflator

[1996 = 100]

Period	F	ixed-Weighted Inde	ex.	Implicit Price Deflator			
	2000	2001	2002	2000	2001	2002	
January February March April May June July August September October November. December. Annual	114.0 114.5 114.8 115.1	117.8 118.3 118.7 118.8 119.2 119.7 119.6 120.2 120.9 121.1 121.5	121.5 121.5 121.3 121.2 121.6 122.2 121.9 122.2 122.4 P122.9	113.3 113.8 113.9 114.6 114.9 115.1 115.6 115.8 115.9 116.4 116.7 117.1	117.9 118.3 118.6 118.7 119.0 119.5 119.4 119.7 120.0 120.8 121.0 121.2	121.2 121.2 121.3 121.3 121.7 122.3 121.8 '122.1 '122.3	

Preliminary.

Note: The fixed-weighted price index is a weighted average of the individual price index series used to deflate the Value of Construction Put in Place (VIP) series. In calculating the index, the weights (the composition of current dollar VIP in 1996 by category of construction) are held constant. Consequently, the index reflects only changes in prices. The implicit price deflator is a derived ratio of total current to constant dollar VIP (multiplied by 100). It is the average of the individual price indexes used in the deflation of VIP, but the prices are weighted by the composition of VIP each period. As a result, the implicit price deflator reflects not only changes in prices, but also changes in the composition of VIP, and its use as a measure of price change is discouraged.

Preliminary.

<sup>&</sup>lt;sup>1</sup>Includes the following categories of private construction not shown separately: residential improvements, railroads, electric light and power, gas, petroleum pipelines, and farm nonresidential.

<sup>2</sup>Includes improvements.

<sup>&</sup>lt;sup>r</sup>Revised.

Table 4. Relative Standard Errors and Coefficients for Standard Errors of Changes

	Relative	e standard error (p	Coefficient for changes		
Type of construction	Monthly estimate	Year-to-date estimate	Annual estimate	Month-to-month change (k1)	Year-to-date change (k2)
Total construction	2	1	1	.03	.01
Private construction	3	1	1	.04	.02
Residential buildings  New housing units  1 unit.  2 units or more	5 2 2 4	2 1 2 3	2 1 2 3	.06 .01 .01 .03	.03 .01 .01 .03
Nonresidential buildings Industrial Office Hotels, motels Other commercial Religious Educational Hospital and institutional Miscellaneous buildings	2 3 4 7 5 9 7 6 7	1 2 2 2 5 3 6 5 5 4	1 2 2 5 2 5 5 5 5	.02 .04 .05 .09 .06 .12 .10	.01 .03 .03 .07 .04 .09 .07
Public construction	2	1	1	.03	.01
Housing and redevelopment Industrial Educational Hospital Other public buildings Highways and streets Military facilities Conservation and development Sewer systems Water supply facilities Miscellaneous public	8 (NA) 3 6 3 4 (NA) 4 6 8	5 (NA) 2 4 2 2 (NA) 2 3 4 4	4 (NA) 2 4 2 2 (NA) 2 3 3 3	.11 (NA) .04 .08 .04 .05 (NA) .06 .08 .11	.07 (NA) .03 .06 .03 .03 (NA) .03 .04 .06

NA Not available.

Note: All statistics are based upon 2001 data. The coefficient (k1) for the month-to-month change is applicable to change from the previous month and change from the same month a year ago.

The standard errors (SE) for month-to-month and year-to-date changes may be approximated by the following formula with the appropriate coefficient shown in Table 4:

SE(change) = (k1 or k2) (100 + % change shown in table).

For example, suppose Table 1 showed that private 'office' construction increased 9 percent from last month. The standard error of the 9 percent increase is about equal to 5 percentage points:

SE(9% increase) = (.05)(100+9) = (.05)(109) = 5%

Once the standard error is available, one can construct a 90 percent confidence interval of the change by multiplying the standard error by 1.6. In the above example, an approximate 90 percent confidence interval of the 9 percent increase for private 'office' construction would be between:

1 and 17 percent (9% plus or minus 8% (5% x 1.6)).